

## **MINUTES**

### **UTAH UNIFORM BUILDING CODE COMMISSION PLUMBING CODE/HEALTH ADVISORY COMMITTEE MEETING**

**September 6, 2007**

**Room 220 – 9:00 am  
Sandy City Hall  
Sandy, UT 84070**

**CONVENED : 9 :00**

**ADJOURNED : 10 :08**

**Bureau Manager :  
Board Secretary:**

Dan S. Jones  
Sharon Smalley

**Board Members Present:**

William Green  
Nathan Lunstad  
Kiran Bhayani  
Greg Hand  
Mark Jenkins

**Board Members Absent:**

Kerry Cramer (excused)  
Wesley Greenhalgh (excused)  
Ray Moore  
William Birkes (excused)

**Guests:**

Doug Weidauer, Sandy City  
Clay Smith, G & S Sales  
Jeff Pedersen, UPHCA  
Jack Beushcel, Studor, Inc

**DOPL Staff Present:**

#### **TOPICS FOR DISCUSSION**

ADMINISTER OATH OF OFFICE  
TO NEW COMMITTEE  
MEMBERS

ELECT A COMMITTEE CHAIR  
AND VICE CHAIR

#### **DECISIONS AND RECOMMENDATIONS**

Dan Jones administered the Oath of Office to this  
committee's new member, Mark Jenkins.

Nathan Lunstad nomintated Wesley Greenhalgh as  
chairman for this committee. The motion was  
seconded by Kiran Bhayani and passed unanimously.

Greg Hand nominated Nathan Lunstad as vice chair for

this committee. The motion was seconded by William Green and passed unanimously.

**MINUTES:**

Kiran Bhayani made a motion to approve the minutes as written. Nathan Lunstad seconded the motion and the motion passed unanimously.

**REVIEW PROPOSED  
AMENDMENTS FOR IPC  
SECTION 901.3 CHEMICAL  
WASTE VENT SYSTEMS**

Jack Beuschel spoke to the committee in connection with the two proposed amendments. During the discussion by those present, the two proposed amendments were modified as follows: Section 901.3 was modified to read "The vent system for a chemical waste system shall be independent of the sanitary vent system and shall terminate separately through the roof to the open air or to an air admittance valve provided at least one chemical waste vent in the system terminates separately through the roof to the open air."

**SECTION 917.8 PROHIBITED  
INSTALLATIONS**

The exception proposed in Section 917.8 was modified as follows" "Exception: Air admittance valves shall be permitted in non-neutralized special waste systems provided that they conform to the requirements in Sections 901.3 and 702.5, are tested to ASTM F1412, and are certified by ANSI/ASSE.

Following a discussion of the modified proposals, a motion was made by Kiran Bhayani to move the modified proposals forward to the Commission with a favorable recommendation. The motion was seconded by William Green and passed unanimously.

**ADJOURN:**

The meeting adjourned at 10:08.

*Note: These minutes are not intended to be a verbatim transcript but are intended to record the significant features of the business conducted in this meeting. Discussed items are not necessarily shown in the chronological order they order they occurred.*

February 7, 2008  
Date Approved

s/s  
Wesley Greenhalgh  
Chairperson, Uniform Building Code Commission Plumbing  
Advisory Committee

February 7, 2008  
Date Approved

s/s  
Dan S Jones, Bureau Manager  
Division of Occupational & Professional Licensing